

Prepared for: _____

Prepared by: _

Foot and Ankle Conditioning Program

Purpose of Program ____

After an injury or surgery, an exercise conditioning program will help you return to daily activities and enjoy a more active, healthy lifestyle. Following a well-structured conditioning program will also help you return to sports and other recreational activities.

This is a general conditioning program that provides a wide range of exercises. To ensure that the program is safe and effective for you, it should be performed under your doctor's supervision. Talk to your doctor or physical therapist about which exercises will best help you meet your rehabilitation goals.

Strength: Strengthening the muscles that support your lower leg, foot, and ankle will help keep your ankle joint stable. Keeping these muscles strong can relieve foot and ankle pain, prevent further injury, and promote lower limb health and stability

Flexibility: Stretching the muscles that you strengthen is important for restoring range of motion and preventing injury. Gently stretching after strengthening exercises can help reduce muscle soreness and aid in joint mobility and muscle health.

Target Muscles: The muscle groups of the lower leg are targeted in this conditioning program, as well as the tendons and ligaments that control movement in your feet. These include:

- Gastrocnemius-soleus complex (calf)
- Anterior tibialis (shin)
- Posterior tibialis (center of calf)
- Peroneus longus (outside of lower calf)

- Peroneus brevis (outside of lower calf)
- Soleus (calf)
- Plantar fascia (bottom of foot)

Length of program: This foot and ankle conditioning program should be continued for 4 to 6 weeks, unless otherwise specified by your doctor or physical therapist. After your recovery, these exercises can be continued as a maintenance program for lifelong protection and health of your feet and lower legs. Performing the exercises 3 to 5 days a week will maintain strength and range of motion in your foot and ankle.

Getting Started ____

Warm up: Before doing the following exercises, warm up with 5 to 10 minutes of low impact activity, like walking or riding a stationary bicycle.

Stretch: After the warm-up, do the stretching exercises shown on Page 1 before moving on to the strengthening exercises. When you have completed the strengthening exercises, repeat the stretching exercises to end the program.

Do not ignore pain: You should not feel pain during an exercise. Talk to your doctor or physical therapist if you have any pain while exercising.

Ask questions: If you are not sure how or how often to do an exercise, or if something does not feel right, contact your doctor or physical therapist.

AAOS does not endorse any treatments, procedures, products, or physicians referenced herein. This information is provided as an educational service and is not intended to serve as medical advice. Anyone seeking specific orthopaedic advice or assistance should consult his or her orthopaedic surgeon.





STRETCHING EXERCISES

1. Heel Cord Stretch

Repetitions
2 sets of 10
Days per week
6 to 7


Main muscles worked: Gastrocnemius-soleus complex You should feel this stretch in your calf and into your heel

Equipment needed: None


Step-by-step directions

- Stand facing a wall with your unaffected leg forward with a slight bend at the knee. Your affected leg is straight and behind you, with the heel flat and the toes pointed in slightly.
- Keep both heels flat on the floor and press your hips forward toward the wall.
- Hold this stretch for 30 seconds, then relax for 30 seconds. Repeat.

Tip Do not arch your back.




2. Heel Cord Stretch with Bent Knee



Step-by-step directions

- Stand facing a wall with your unaffected leg forward with a slight bend at the knee. Your affected leg is behind you, with the knee bent and the toes pointed in slightly.
- Keep both heels flat on the floor and press your hips forward toward the wall.
- Hold the stretch for 30 seconds, then relax for 30 seconds. Repeat.

Tip Keep your hips centered over both feet.



AAOS does not endorse any treatments, procedures, products, or physicians referenced herein. This information is provided as an educational service and is not intended to serve as medical advice. Anyone seeking specific orthopaedic advice or assistance should consult his or her orthopaedic surgeon.






STRETCHING EXERCISES

3. Golf Ball Roll

Repetitions	Main muscles worked: Plantar fascia You should feel this exercise along the bottom of your foot
1	Tou should reer this excreise along the bottom of your root
	Equipment needed: Golf ball
Days per week	(other options: tennis ball or frozen water bottle)
Daily (as needed for pain)	
Step-by-step dire	ctions
• Sit on a stable of	hair with both feet planted on the floor.

• Roll a golf ball under the arch of your affected foot for 2 minutes.

Tip Sit up tall and keep your foot toward your chair.




4. Towel Stretch_____

Repetitions	Main muscles worked: Gastrocnemius-soleus complex You should feel this stretch in your calf and into your heel
2 sets of 10	
	Equipment needed: Hand towel
Days per week	
6 to 7	

Step-by-step directions

- Sit on the floor with both legs out in front of you. You may also do this exercise while sitting in a chair.
- Loop a towel around the ball of your affected foot and grasp the ends of the towel in your hands.
- Keep your affected leg straight and pull the towel toward you.
- Hold for 30 seconds, then relax for 30 seconds. Repeat.

Tip Sit up tall and keep your legs straight.



AAOS does not endorse any treatments, procedures, products, or physicians referenced herein. This information is provided as an educational service and is not intended to serve as medical advice. Anyone seeking specific orthopaedic advice or assistance should consult his or her orthopaedic surgeon.





STRENGTHENING EXERCISES

5. Calf Raises

Repetitions	Main muscles worked: Gastrocnemius-soleus complex You should feel this exercise in your calf
2 sets of 10	
	Equipment needed: Chair for support
Days per week	
6 to 7	

Step-by-step directions

- Stand with your weight evenly distributed over both feet. Hold onto the back of a chair or a wall for balance.
- Lift your unaffected foot off the floor so that all of your weight is placed on your affected foot.
- Raise the heel of your affected foot as high as you can, then lower. Repeat.

Tip Do not bend the knee of your working leg. If necessary, start with both legs and transition to your affected foot/ankle when able.


6. Ankle Range of Motion _____

Repetitions	Main muscles worked: All ankle musculature You should feel this exercise at the top of your foot and throughout your ankle	
2 sets		
Days per week	Equipment needed: None	
Daily		

Step-by-step directions

- Sit down so that your feet do not touch the floor.
- Use your foot to write each letter of the alphabet in the air. Lead with your big toe.

Tip Keep the movements small, using just your foot and ankle.



AAOS does not endorse any treatments, procedures, products, or physicians referenced herein. This information is provided as an educational service and is not intended to serve as medical advice. Anyone seeking specific orthopaedic advice or assistance should consult his or her orthopaedic surgeon.





STRENGTHENING EXERCISES

7. Marble Pickup

Repetitions
20
Days per week
Daily


Main muscles worked: Plantar flexors You should feel this exercise at the top of your foot and toes

Equipment needed: 20 marbles (You may also use cotton balls instead of marbles.)

Step-by-step directions

- Sit with both feet flat and place 20 marbles on the floor in front of you.
- Use your toes to pick up one marble at a time and place into a bowl.
- Repeat until you have picked up all the marbles.

Tip Do not place the marbles too far out in front or to the side.



8. Towel Curls_____



Step-by-step directions

- Sit with both feet flat and place a small towel on the floor in front of you.
- Grab the center of the towel with your toes and curl the towel toward you, then relax. Repeat.



Tip You can make this exercise more challenging by placing a weight on the edge of the towel.





STRENGTHENING EXERCISES

9. Ankle Dorsiflexion/Plantar Flexion_

Repetitions
3 sets of 10
Days per week


Main muscles worked: Anterior tibialis, gastrocnemius-soleus complex You should feel this exercise at your calf, shin, the back of your heel, and the top of your foot

Equipment needed: Use an elastic stretch band of comfortable resistance

Step-by-step directions

- Sit on the floor with your legs straight out in front of you. You may also complete this exercise while sitting in a chair.
- For dorsiflexion, anchor the elastic band on a chair or table leg, then wrap it around your foot. Pull your toes toward you and slowly return to the start position. Repeat.
- For plantar flexion, wrap the elastic band around your foot and hold the ends in your hand. Gently point your toes and slowly return to the start position. Repeat.

Keep your leg straight and heel on the floor for support.



Plantar flexion

10. Single Leg Balance

Tip

Repetitions	Main muscles worked: All ankle/foot musculature
3 to 5	This should be performed wearing comfortable footwear, preferably walking shoes
Days per week	Equipment needed: A stable support surface, such as a chair or countertop
6 to 7	

Step-by-step directions

- Stand next to a support surface and place both hands on surface with both feet on the floor.
- Keeping both knees straight, lift one foot in the air, balancing on the affected leg.
- Remove your hands from support surface, replacing them as needed to prevent loss of balance.
- Hold a single leg balance for up to 30 seconds, using occasional hand support as needed. Repeat.

Tip Complete without shoes for a greater challenge.

AAOS does not endorse any treatments, procedures, products, or physicians referenced herein. This information is provided as an educational service and is not intended to serve as medical advice. Anyone seeking specific orthopaedic advice or assistance should consult his or her orthopaedic surgeon. © American Academy of Orthopaedic Surgeons Exercises Page 5